
FAIRBOURNE FLOOD ALLEVIATION SCHEME: Ground Investigation Programme



Archaeological Watching Brief

GAT Project No.2127

Report No. 877

July2010

FAIRBOURNE FLOOD ALLEVIATION SCHEME: Ground Investigation Programme

Report No. 877

Prepared for
Environment Agency

July 2010

By
Ken Owen

FAIRBOURNE FLOOD ALLEVIATION SCHEME: Ground Investigation Programme

Figures

Figure 01: Reproduction of client drawing B1362200/GI/100 "Proposed Exploratory Hole Location Plan".

Plates

Plate 01 - General view of the location areas for TP01 to TP05.

Plate 02 - General view of the location areas for TP06 to TP08, Ynys y Bugail can be seen to the left of the photo.

Plate 03 - test pit 01: exposed section on completion. A 0.40m thick layer of silt-sand, peat-rich with frequent organics was identified @1.00m below ground level

Plate 04- test pit/01: spoil heap detailing upcast material from test pit. The silt-sand, peat-rich is visible along with a clay-rich deposit located beneath the peat-rich layer that continued to limit of excavation (3.00m below ground level)

Plate 05 - test pit 05 post-excavation, Similar to test pit 01, peat-rich organic deposits were identified @0.55m below ground level, continuing towards the limit of excavation where the deposit became clay-rich

Plate 06 - test pit 05 spoil heap detailing upcast material, including the peat-rich organic deposits also identified in test pit 01 (located c.190.0m to the south)

Plate 07 - location of test pit 04. The test pit included organic-rich deposits and shale fragments at the limit of excavation

Plate 08 - test pit 04: detail of limit of excavation. The organic-rich deposits and the shale-rich deposit at the base of the test pit (3.00m below ground level), are visible

Plate 09 - test pit 10. Located on the southeastern outskirts of Fairbourne within a small caravan park., close to the former railway line

Plate 10 - test pit 10 on completion, detailing limit of excavation and water ingress @1.50m below ground level

Plate 11 - location of test pit 19, located to the northeast of Fairbourne within the coastal floodplain

Plate 12 - test pit 19 at limit of excavation, detailing a succession of sand-rich layers. No archaeological activity was identified within the confines of the test pit

Plate 13 - location of test pit 22, positioned within the coastal flood plain to the northeast of Fairbourne. Test pit 22 was the final test pit excavated as part of the GI programme.

Plate 14 - test pit 22 at limit of excavation. The test pit contained sand-rich deposits; no archaeological activity was identified within the confines of the test pit

FAIRBOURNE FLOOD ALLEVIATION SCHEME, GWYNEDD

ARCHAEOLOGICAL WATCHING BRIEF – Ground Investigation Programme

Summary

Gwynedd Archaeological Trust (GAT) was commissioned by the Environment Agency to complete an archaeological watching brief during ground investigation (GI) works associated with the proposed flood alleviation scheme along Fairbourne coastal plain, Fairbourne, Gwynedd (centred on NGR SH62091360).

A total of 22 trial pits were monitored. No archaeological activity was identified within the confines of any example. The GI programme did inform of the varying geological activity across the expanse of the estuary, including peat and shaley bedrock in the vicinity of TP 01-05. This recorded information may assist in the understanding of exposed stratigraphy during any future archaeological mitigation phases.

1.0 INTRODUCTION

The GI investigation area was located to the immediate east and south of the Aber Mawddach/Mawddach Estuary SSSI (SSSI ID: 1628/SSSI Code: 31WVS) and either side of the Cambrian Railway track where it runs through Fairbourne (centred on NGR SH62091360).

The GI works comprised:

- Window Samples WS01 to WS10 (not monitored)
- Test Pits TP01 to TP22
- Boreholes BH01 to BH18 (not monitored)

A mitigation brief was not prepared for this work by **Gwynedd Archaeological Planning Services (GAPS)/ Snowdonia National Park Authority (SNPA) Archaeologist, but GAPS/(SNPA) archaeologist were informed of the GI works in their respective areas.** Reference was made to the guidelines specified in Standard and Guidance for Archaeological Watching Brief (Institute for Archaeologists, 1994, rev. 2001).

2.0 BACKGROUND

Castlery Archaeology were commissioned by the Environment Agency to undertake an archaeological desk-based study on land at Fairbourne, Gwynedd in connection with a possible flood alleviation scheme (FAS) to be undertaken on land adjacent to the estuary of the River Mawddach (Castlery Archaeology Report **316**, April 2009). The desk-based study and site walk-over were undertaken to assess the potential impact that any future works in connection with the flood alleviation scheme could have on the archaeological resource and built heritage within the defined study area.

The study area was located on the south side of the estuary of the River Mawddach. The western boundary of the area was defined by the shingle beach fronting Barmouth Bay at Fairbourne; the southern boundary by the A493 trunk road; the eastern boundary by the inlet that extends north from Arthog into the Mawddach Estuary and the northern boundary by the estuary. The study area measured c.4.5km on a southwest to northeast axis with its width defined by the irregularity of the estuary and Penrhyn Point on the north side and the A493 on the south side, at the base of the wooded hillside. *The GI investigation was located within the confines of the study area.*

Within the study area, the assessment identified:

Scheduled Ancient Monument No. ME252:

Anti-invasion Defences comprising the line of 650 concrete cubes and the remains of 4 pillboxes extending for c.2.3km along the seafront at Fairbourne. The structures have statutory protection as a monument of National significance.

Historic Landscape Areas (HLAs); Mawddach Estuary (HLA09), Morfa Mawddach (HLA10) and Fairbourne (HLA11). The landscapes are recorded on the non-statutory *Register of Landscapes of Historic Interest in Wales* compiled as a joint initiative between Cadw: Welsh Historic Monuments, the Countryside Council for Wales (CCW) and the International Council on Monuments and Sites (ICOMOS), working in collaboration with GAT, RCAHMW and the Welsh unitary authorities in order to recognise and raise awareness of the importance and wealth of the historic fabric of the landscapes.

Site of Special Scientific Interest (SSSI); namely Mawddach Estuary which includes Arthog Bog (CCW ref.31 WVS). SSSIs have Parliamentary protection under the Wildlife and Countryside Act of 1981 (amended 1985); enhanced by the Countryside Rights of Way Act of 2000.

25 sites were identified in the report, sourced from the Regional Historic Environment Record (Gwynedd Archaeological Trust, Craig Beuno, Bangor, Gwynedd LL57 2RT; reproduced in Appendix I). 22 sites recorded by RCAHMW were identified within the study area (supplied by GAT Regional HER; reproduced in Appendix I. The majority of the features represented the post-medieval development of Fairbourne and the surrounding area and the nineteenth century improvements to transportation links and twentieth century military coastal defences. The identified features included scheduled WWII defences that fronted the shoreline at Fairbourne, a former WWII marines training camp (PRN 13918), the 1860s coastal railway that cuts through the area and crosses the estuary via Barmouth Bridge (PRNs 13919 to 13922), the disused Dolgellau branchline now utilised as the 'Mawddach Trail' and evidence of a former tramway system installed at the turn of the century by Solomon Andrews in the east side of the study area (PRN 13914), evidence of the former tramway installed by McDougall in the west (PRN 13910) which is perpetuated in the existing miniature railway at Fairbourne (NPRN 41312).

In addition to the information retained within the Regional HER and incorporated in the Castlering report, 3 archaeological sites were identified during the walk-over survey:

- a limekiln on the Fairbourne Embankment at SH 62601420;
- a stone building south of the embankment at SH 6260141
- a the limekiln near Arthog at SH 64201470

None of the identified archaeological features were directly affected by the GI programme, although Test Pits **TP15** to **TP17** were located close to PRNs **13910** & **13911** (McDougall Tramway trackbed/Brick and tile works respectively).

3.0 METHODOLOGY

3.1. Ground Investigation Works

- All attended test pits were excavated using a 2T 360 machine with a flat ditching bucket, of 0.60m width. The dimensions of all the test pits were 2.00m x 0.60m x 3.00m. All GI works were completed by *White Young Green (WYG)*.

3.2 Archaeological Watching Brief

- A photographic record was maintained throughout, using a digital SLR camera set to maximum resolution.
- Notations were made of all subsurface deposits.
- The archive is to be held by GAT under an appropriate project number (**G2127**).

4.0 RESULTS

The location of the individual trial pits monitored by GAT as an archaeological watching brief can be found in Figure 01, they were generally located running from South (TP01) to North (TP22). The results of the test pit excavations did not provide any archaeological features, or artefactual evidence,

although TP15-17 were relatively close to a brickworks and tramway dating to the 19thC (PRN **13910** & **13911**: McDougall Tramway trackbed/Brick and tile works respectively).

TP01

Size: 2.60m x 0.60m x 3.00m Orientation NW-SE

Description

Dark greyish brown topsoil with a depth of 0.15m, underlain by a brownish grey silty sand with very frequent inclusions of river cobbles and shales, depth of 0.45m. Mid brownish grey sandy, clayey silt with a similar amount of stone inclusions as the above, water seepage between these horizons, depth of 0.50m. Below was a layer of silt-sand, peat-rich with frequent organics and depth of 1.40m, a slightly more clayey deposit below, although generally quite similar.

Interpretation

Thin topsoil deposit identified here followed by some made up ground above the organic layer, followed by alluvial activity at the base. No archaeological activity within confines of the trial pit.

TP02

Size: 2.00m x 0.60m x 3.00m Orientation NE-SW

Description

Greyish brown topsoil, sandy silt with soft texture and containing shaley stone, depth of 0.20m. Subsoil a mid orangey grey silty sand with shaley stone and a depth of 0.60m. The lower layer was a silty grey clay containing some shaley stone, slightly orangey and organic.

Interpretation

No archaeological deposits. This test pit and TP04 are very close to an outcrop called Ynys y Bugail with the shaley deposits being the fragmented bedrock from this outcrop.

TP03

Size: 2.60m x 0.60m x 3.00m Orientation NW-SE

Description

Dark greyish brown topsoil with a depth of 0.25m, underlying subsoil an orangey grey silty sand with depth of 0.30m. The layer below was an organic mid greyish brown peaty sandy silt that became progressively more clayey with depth, depth of layer 1.50m. The bottom layer was a mid grey silty clay with orange flecking.

Interpretation

No archaeological activity was identified within the confines of the test pit.

TP04

Size: 2.60m x 0.60m x 3.00m Orientation NW-SE

Description

Upper layer was a mid greyish brown, soft sandy silt with a depth of 0.15m. Upper subsoil a mid brownish grey shaley sandy silt with a depth of 0.40m. Underlain by a dark greyish brown silty sand. All the above layers were fairly organic.

The lowest deposit in the test pit was a mid greyish brown with an orange tint, silty clay, containing large amounts of slaty or shaley fragmentary rock.

Interpretation

No archaeology, the fragmentary rock is bedrock from the outcrop Ynys y Bugail as previously mentioned in TP02.

TP05

Size: 2.00m x 0.60m x 3.00m Orientation NE-SW

Description

The topsoil was a mid greyish brown sandy silt with very occasional stone and depth of 0.25m. Upper subsoil of a mid orangey grey clayey silty sand with depth of 0.30m. The lower layer was a dark greyish brown and slightly organic peaty sandy silt, as the trench progressed the soil became more clayey with inclusions of fairly large shaley stone.

Interpretation

No archaeology. The organic deposit may have been material that had washed into this area from either or both the two wooded, rocky outcrops that are located either side of the trench, although test pits TP01-TP04 were also close to the outcrops and they produced significantly less organic material.

TP06

Size: 2.00m x 0.60m x 3.00m Orientation NE-SW

Description

Topsoil depth of 0.30m. Upper subsoil was a mid orangey grey sandy silt with a depth of 0.70m and containing very occasional stone, underlain by a mid grey slightly silty, plastic clay.

Interpretation

No archaeological activity within confines of trial pit.

TP07

Size: 2.20m x 0.60m x 3.00m Orientation N-S

Description

A light greyish brown loamy topsoil with very occasional stone inclusions, soft texture with a depth of 0.30m. Mid brownish orangey grey silty clay subsoil with depth of 0.80m. Lower deposit was a grey, plastic clay which very slightly silty.

Interpretation

No archaeological activity was identified within the confines of the trial pit.

TP08

Size: 2.20m x 0.60m x 3.00m Orientation NE-SW

Description

Mid greyish brown sandy silty topsoil with a depth of 0.24m. Mid brownish grey silty clay subsoil, depth 0.26m. Underlain by a mid orangey grey plastic silty clay, firm with a depth of 0.50m. The lower layer was a light grey clay, plastic. Depth > 1.60m. Water seepage in this trench at the 0.60m level.

Interpretation

No archaeological activity was identified within the confines of the trial pit.

TP09

Size: 2.10m x 0.60m x 3.00m Orientation SE-NW

Description

This trench was excavated roughly 3m to the SW of original location due to 2 steel water pipes (disused?) uncovered during original trenching. The upper layer consisted of a shaley hardcore of made up ground with depth of 0.30m. Below was a mid brownish grey sandy silty clay with very occasional stone. There was an intermediate layer of an orangey grey clay, slightly plastic. The lower layer was a mid grey clay, plastic and very firm.

Interpretation

No archaeological activity was identified within the confines of the trial pit.

TP10

Size: 2.20m x 0.60m x 3.00m Orientation N-S

Description

Very rooty dark greyish brown topsoil with depth of 0.20m, below which was a mid orangey grey silty clay with depth of 1.50m. The lower layer was a slightly orange grey clay, plastic. Water seepage at the top of this layer at the horizon with previous layer.

Interpretation

No features associated with this trench, excavated within the confines of a small caravan park.

TP11

Size: 2.00m x 0.60m x 3.00m Orientation NE-SW

Description

Mid greyish brown silty sandy topsoil with depth of 0.20m. Underlain by a mid orangey grey silty clay, plastic with depth of 1.00m. Water seepage between the 2 upper layers. Lower layer of a mid orangey grey clay.

Interpretation

No features associated with this trench, located within the caravan park.

TP12

Size: 2.50m x 0.60m x 3.00m Orientation NW-SE

Description

Mid greyish brown topsoil with depth of 0.20m. Underlain by a mid orangey grey silty clay with depth of 0.35m. Below this layer was a dark brown organic peaty silt, slightly orange with depth of 1.00m. The lower deposit was a mid orangey grey silty clay, plastic.

Interpretation

No archaeology in test pit, as with TP10 and TP12 this trench was within the caravan park.

TP13

Size: 2.00m x 0.60m x 3.00m

This trench was completed late in the day and not observed.

TP14

Size: 2.20m x 0.60m x 3.00m Orientation NE-SW

Description

Mid greyish brown topsoil with depth of 0.20m, below there was a mid orangey grey silty sand with root material with depth of 1.00m. The next layer was a mid orangey grey sandy clayey silt with depth of 0.80m. The lower layer in the trench was a mid grey sandy clay with a slight orangey tint.

Interpretation

No archaeology was found in this trench.

TP15

Size: 2.60m x 0.60m x 3.00m Orientation NE-SW

Description

Topsoil was a mid greyish brown sandy silt with depth of 0.15m, underlain by a mid orangey grey subsoil with depth of 1.35m. The lower layer within the trench was a mid grey silty sand with patches of silty clay.

Interpretation

No archaeology.

TP16 + TP17

Size: 2.20m x 0.60m x 3.00m Orientation NE-SW (both trenches)

Description

Test pits 15,16 and 17 were very similar in contents in respect of the excavated soils and clays, and grouped relatively close together. The description for TP15 will also cover TP16 and TP17.

TP18

Size: 2.00m x 0.60m x 3.00m Orientation NE-SW

Description

Very thin layer of a mid greyish brown upper soil with a depth of 0.10m. Subsoil was a mid orangey grey sandy clay with depth of 1.40m. The lower deposit was a narrow band of an organic peat which was slightly clayey in patches, depth of >0.30m.

Interpretation

No archaeology.

TP19

Size: 2.20m x 0.60m x 3.00m Orientation NE-SW

Description

Mid orangey grey silty sand with some clay content, depth of 0.25m. Orangey grey silty clayey sand, soft texture with a depth of 1.25m. The lower layer was an orangey grey silty clay, although less clay and more sandy as the trench progressed downwards.

Interpretation

No archaeology.

TP20

Size: 2.20m x 0.60m x 3.00m Orientation NW-SE

Description

The surface layer was a degraded mid brownish grey sandy silt with depth of 0.15m. Underlain by a mid orangey grey silty sand, soft texture with depth of 0.95m. The lower deposit was a soft, mid grey silty sand with a slight clay content.

Interpretation

No archaeology.

TP21

Size: 2.40m x 0.60m x 3.20m Orientation NW-SE

Description

Upper deposit of a mid greyish brown topsoil with depth of 0.15m, underlain by a mid orangey grey silty sand with depth of 0.55m. Lower layer of a mid grey silty clayey sand, all deposits had a soft texture.

Interpretation

No archaeology.

TP22

Size: 2.40m x 0.60m x 3.00m Orientation E-W

Description

Very degraded brownish grey sandy silt topsoil with a depth of 0.10m, underlain by a subsoil of a mid orangey grey silty sand with a soft texture and depth of 0.40m. The bottom layer in the trench was a dark grey sandy silt with a small clay content.

As access to the original location of this test pit to the south of the drainage ditch was difficult to obtain, the test pit was excavated to the north of the drainage ditch

Interpretation

No archaeology.

5.0 CONCLUSIONS

A total of 22 trial pits were monitored. No archaeological activity was identified within the confines of any example. The GI programme did inform us of the varying geological activity across the site, including the location of suitable materials that could be used for the formation of flood alleviation defences. The results also informed the location of made ground deposits (TP01) and the existence of peat within test pits TP01 to TP05. The peat deposits were located c.650.0m south of the peat cutting faces identified at NGR SH61501335 (PRN **17,217**).

This information may assist in the understanding of exposed stratigraphy during any future archaeological mitigation phases.

6.0 BIBLIOGRAPHY and SOURCES

CASTLERING ARCHAEOLOGY REPORT **316**

Client drawings **B1362200/GI/100 (Rev.03) & B1362200/GI/101 (Rev.00)**

Appendix I

25 sites were identified in the report, sourced from the Regional Historic Environment Record (Gwynedd Archaeological Trust, Craig Beuno, Bangor, Gwynedd LL57 2RT)

PRN


4139 TYDDYN Y GARREG - STANDING STONE SH75401760
4218 CLEARANCE HEAP SH61111381
4880 NEOLITHIC POLISHED STONE AXE SH61401220
4883 BRONZE AGE PERFORATED AXE HAMMER (FRAGMENT OF) SH63001460
7272 MAWDDACH JUNCTION STATION SH62901410
7273 FAIRBOURNE TOWN SH61201300
7274 FAIRBOURNE RAILWAY SH61201300
7275 TANK DEFENCES AT FAIRBOURNE SH61041340
13910 MCDUGALL TRAMWAY TRACKBED, FAIRBOURNE SH61801317
13911 MCDUGALL BRICK AND TILE WORKS, FAIRBOURNE SH61751316
13912 ST. CYNON'S CHURCH, FAIRBOURNE SH61801276
13913 FAIRBOURNE WASTEWATER OUTFALL VENT PIPE SH61061360
13914 SOLOMON ANDREWS TRAMWAY TRACK BED, FAIRBOURNE SH63001370
13915 STOCK LOADING RAMP, FAIRBOURNE SH63021396
13916 CAMBRIAN RAILWAY PEDESTRIAN GATE, FAIRBOURNE SH63021410
13917 SENTRY BOXES, FEGLA FAWR SH63181466
13918 ROYAL MARINES TRAINING CAMP SH63201480
13919 CAMBRIAN RAILWAY TRACK BED AND EMBANKMENT SH63401400
13920 TRACKWAY, FAIRBOURNE SH63781440
13921 TRACKWAY, FAIRBOURNE SH63871446
13922 TRACKWAY AND TRAMWAY TRACK BED, FAIRBOURNE SH64141460
17216 CAMBRIAN RAILWAY CAST IRON GATEPOSTS, FAIRBOURNE SH62001335
17217 PEAT CUTTING FACES, FAIRBOURNE SH61501335
17218 STONE-BUILT FIELD DRAINS, FAIRBOURNE SH63101358
17219 SOLOMON ANDREWS TRAMWAY TRACK BED, FAIRBOURNE SH63001418
17220 STONE-BUILT FIELD DRAINS, FAIRBOURNE SH64401460

22 sites recorded by RCAHMW & supplied by GAT Regional HER

NPRN

740 FAIRBOURNE HOTEL; YNYSFAIG HALL HOTEL SH617126
8518 SEION CHAPEL (WELSH CALVINISTIC METHODIST), BONT, ARTHOG SH64391458
12026 ST CYNON'S CHURCH, FAIRBOURNE SH61801275
12027 SARON CHAPEL (CALVINISTIC METHODIST), FAIRBOURNE SH61631227
28383 FAIRBOURNE HOTEL, HOUSE SH61771273
28892 YNYS GYFFYLOG SH62941380
41292 ARTHOG STATION
41311 MODEL RAILWAY, BARMOUTH FERRY TERMINUS SH6172115015
41312 MODEL RAILWAY, FAIRBOURNE TERMINUS SH6155512797
41313 PASSING LOOP, FAIRBOURNE MODEL RAILWAY
41329 BARMOUTH JUNCTION SH62841417
265173 MIN-Y-DON, GARDEN, ARTHOG SH6399415449
268062 FAIRBOURNE SH614130
270353 ANTI TANK BLOCKS, LLANGELYNIN SH61101201
270354 ANTI TANK BLOCK, LLANGELYNIN SH61101300
270355 PILLBOX (TYPE FW3/24), LLANGELYNIN SH61101213
270356 PILLBOX (TYPE FW3/24), LLANGELYNIN SH61141253
270840 ANTI TANK BLOCK, LLANGELYNIN SH61141231
270841 CUBE, BARMOUTH SH615150
301728 MORFA MAWDDACH PONDS SH626142

0 Contour
 1m E & C Day



SSSI/SAC

ARTHOG
 BOG

- KEY:
- WINDOW SAMPLE
 - TRIAL PIT
 - BOREHOLE

- KEY:
- FOOTPATHS
 - SSSI/ SAC

HEALTH, SAFETY AND ENVIRONMENT ISSUES TO BE CONSIDERED:

- INTERACTION WITH THE PUBLIC
- BURIED AND OVERHEAD SERVICES
- WORKING NEAR WATER COURSES
- WORKING NEAR THE HIGHWAY

This map has been reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown copyright.
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Environment Agency, 100026380, 2010.

Rev	Rev. Date	Rev. Description	Drawn	Checked	Rev'd	Appr'd
3	16.02.10	AREA MARKED	JMM	MMK		
2	28.01.10	RECORDING EXPLORATORY HOLES	JMM	MMK		
1	28.01.10	ADDED EXP DATA	JMM	MMK		
0	18.01.10	ORIGINAL ISSUE	JMM	MMK		

Client
JACOBS
 Station Court, Wagon Lane, Sharncliffe, Birmingham, B26 3JU
 Tel: +44(0)121 709 1250 Fax: +44(0)121 709 1251
 www.jacobs.com

Client
Asiantedd yr Amgylchedd Cymru
 Environment Agency Wales

Project
FAIRBOURNE PAR

Drawing title
PROPOSED EXPLORATORY HOLE LOCATION PLAN

Drawing status
WORK IN PROGRESS

Scale
NTS DO NOT SCALE

Jacobs No.
B1362200

Client no.
B1362200/GI/100

Drawing number
B1362200/GI/100

Rev
3

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Plate 01 - General view of the location areas for TP01 to TP05: positioned along the flood plain from the building in the distance. The outcrop with the house is called Ynys y Bugail. Photo taken from the NW



Plate 02 - General view of the location areas for TP06 to TP08, Ynys y Bugail can be seen to the left of the photo.



Plate 03 - test pit 01: exposed section on completion. A 0.40m thick layer of silt-sand, peat-rich with frequent organics was identified @1.00m below ground level



Plate 04 - deposit located beneath the peat-rich layer that continued to limit of excavation (3.00m below ground level)



Plate 05 - test pit 05 post-excitation, Similar to test pit 01, peat-rich organic deposits were identified @0.55m below ground level, continuing towards the limit of excavation where the deposit became clay-rich



Plate 06 - test pit 05 spoil heap detailing upcast material, including the peat-rich organic deposits also identified in test pit 01 (located c.190.0m to the south).



Plate 07 - location of test pit 04. The test pit included organic-rich deposits and shale fragments at the limit of excavation



Plate 08 - test pit 04: detail of limit of excavation. The organic-rich deposits and the shale-rich deposit at the base of the test pit (3.00m below ground level), are visible



Plate 09 - test pit 10. Located on the southeastern outskirts of Fairbourne within a small caravan park, close to the former railway line



Plate 10 - test pit 10 on completion, detailing limit of excavation and water ingress @1.50m below ground level



Plate 11 - location of test pit 19, located to the northeast of Fairbourne within the coastal floodplain



Plate 12 - test pit 19 at limit of excavation, detailing a succession of sand-rich layers. No archaeological activity was identified within the confines of the test pit



Plate 13 - location of test pit 22, positioned within the coastal flood plain to the northeast of Fairbourne. Test pit 22 was the final test pit excavated as part of the GI programme.



Plat□
within the confines of the test pit

YMDDIRIEDOLAETH
ARCHAEOLEGOL
GWYNEDD



GWYNEDD
ARCHAEOLOGICAL
TRUST

Craig Beuno, Ffordd y Garth, Bangor, Gwynedd. LL57 2RT
Ffon: 01248 352535. Ffacs: 01248 370925. email: gat@heneb.co.uk