



æon archaeology

**Fron Deg, Clayton Road, Mold,
Flintshire CH7 1SU
(FUL/000003/23)**

October 2023 v1.0



Photographic Building Record

Project Code: A0440.1

Report no. 0434

Event PRN: 214008





æon archaeology

**Fron Deg, Clayton Road, Mold,
Flintshire CH7 1SU
(FUL/000003/23)**

August 2023 v1.0

Report no. 0434

**Aeon Archaeology
Obsidian Offices
Chantry Court
Chester
CH1 4QN**

Written by: Richard Cooke BA MA MCIfA

Checked by: Josh Dean BA



Project Code: A0440.1
Date: 16/10/2023
Client: George Rowe
info@aeonarchaeology.co.uk



æon archaeology

Fron Deg, Clayton Road, Mold, Flintshire CH7 1SU (FUL/000003/23)

August 2023 v1.0

Copyright Declaration:

Aeon Archaeology grants permission for the material presented within this report to be used by the archives/repository with which it is deposited, in perpetuity, although Aeon Archaeology retains the right to be identified as the author of all project documentation and reports, as specified in the Copyright, Designs and Patents Act 1988 (chapter IV, section 79). The permission will allow the repository to reproduce material, including for use by third parties, with the copyright owner suitably acknowledged.

Disclaimer:

This Report has been prepared solely for the person/party which commissioned it and for the specifically titled project or named part thereof referred to in the Report. The Report should not be relied upon or used for any other project by the commissioning person/party without first obtaining independent verification as to its suitability for such other project, and obtaining the prior written approval of Aeon Archaeology. Aeon Archaeology accepts no responsibility or liability for the consequences of this Report being relied upon or used for any purpose other than the purpose for which it was specifically commissioned. The entitlement to rely upon this Report rests solely with the person/party which commissioned it and does not extend to any other person/party. Aeon Archaeology accepts no responsibility or liability for any use of or reliance upon this Report by any person/party other than the commissioning person/party.



Figures

Figure 01: Location of Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157). Scale 1:20,000 at A4.

Figure 02: Location of Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157). Scale 1:5,000 at A4.

Figure 03: Location of boundary wall at Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157). Scale 1:500 at A4.

Figure 04: Structural phasing of boundary wall. Scale 1:500 at A4.

Figure 05: Location and orientation of photographic plates.

Plates

Plate 01: Fron Deg boundary wall, from the southwest. Scale 1.0m.

Plate 02: Fron Deg boundary wall, from the southeast. Scale 1.0m.

Plate 03: Fron Deg boundary wall, from the southwest. Scale 1.0m.

Plate 04: Fron Deg boundary wall, from the east. Scale 1.0m.

Plate 05: Fron Deg boundary wall showing structural phases, from the southeast. Scale 1.0m.

Plate 06: Fron Deg boundary wall showing structural phases, from the southeast. Scale 1.0m (annotated).

Plate 07: Fron Deg boundary wall, from the southwest. Scale 1.0m.

Plate 08: Fron Deg boundary wall, from the east. Scale 1.0m.

Plate 09: Fron Deg boundary wall, from the east. Scale 1.0m.

Plate 10: Fron Deg boundary wall showing blocked entrance, from the south. Scale 1.0m.

Plate 11: Fron Deg boundary wall from inside enclosed garden, from the southwest. Scale 1.0m.

Plate 12: Fron Deg boundary wall from inside enclosed garden, from the northwest. Scale 1.0m.

Plate 13: Fron Deg boundary wall from inside enclosed garden, from the north-northwest. Scale 1.0m.

Plate 14: Fron Deg boundary wall from inside enclosed garden, from the east. Scale 1.0m.

Plate 15: Fron Deg boundary wall from inside enclosed garden, from the southeast. Scale 1.0m.

Plate 16: View across enclosed garden to Fron Deg, from the southeast. Scale 1.0m.

Contents

1.0 NON-TECHNICAL SUMMARY	1
2.0 INTRODUCTION	2
3.0 POLICY CONTEXT	3
4.0 REQUIREMENTS	5
4.1 Building Record	5
5.0 METHOD STATEMENT	6
5.1 Photographic Record.....	6
5.1.1 Written Account	6
5.1.2 Photographs	6
5.1.3 Drawn Record.....	7
5.2 Processing data, illustration, report, and archiving	7
6.0 DISSEMINATION AND ARCHIVING.....	8
7.0 DIGITAL DATA MANAGEMENT PLAN.....	9
7.1 Type of study	9
7.2 Types of data.....	9
7.3 Format and scale of the data	9
7.4 Methodologies for data collection / generation	9
7.5 Data quality and standards	9
7.6 Managing, storing and curating data.....	10
7.7 Metadata standards and data documentation	10
7.8 Data preservation strategy and standards.....	10
7.9 Suitability for sharing	10
7.10 Discovery by potential users of the research data.....	10
7.11 Governance of access.....	10
7.12 The study team’s exclusive use of the data.....	10
7.13 Restrictions or delays to sharing, with planned actions to limit such restrictions	10
7.14 Regulation of responsibilities of users	11
7.15 Responsibilities.....	11
7.16 Organisational policies on data sharing and data security	11
8.0 PHOTOGRAPHIC RECORD	12
9.0 SOURCES	13

1.0 NON-TECHNICAL SUMMARY

Comisiynwyd Aeon Archaeology gan George Rowe i gynnal arolwg ffotograffig o adeilad wal derfyn yn Fron Deg, Ffordd Clayton, Yr Wyddgrug, CH7 1SU.

Aeon Archaeology was commissioned by George Rowe to carry out a photographic building survey of a boundary wall located at Fron Deg, Clayton Road, Mold, CH7 1SU.

2.0 INTRODUCTION

Aeon Archaeology was commissioned by George Rowe, hereafter ‘the Client’, to carry out a photographic building survey of a boundary wall located at Fron Deg, Clayton Road, Mold, CH7 1SU, hereafter ‘the Site’, (centred on **NGR SJ 23560 64157**) (figures 01-03).

Full planning permission (**ref: FUL/000003/23**) was secured by the Client from Flintshire County Council, hereafter ‘the Council’, on the 6th April 2023 with the following condition concerning archaeology being applied to the permission:

Condition 11

Development shall not begin until an appropriate photographic survey, (equivalent to an Historic England level 1 Survey – Understanding Historic Buildings, 2016) of the existing structures has been carried out in accordance with details to be submitted to, and approved by, the Local Planning Authority. The photographic survey will be completed by an archaeological contractor.

REASON: In compliance with requirements of TAN 23, PC3, HN5, EN8 and EN9 of the Flintshire Local Development Plan.


The Development Management Archaeologist (DMA) at the Clwyd-Powys Archaeological Trust (CPAT) made the following consultee comments as part of the planning application and in their role as archaeological advisor to the Council:

The proposed works take place inside the Medieval Core of Mold and the alterations to the access will cut through the historic stone wall which, although undated, is obviously of significant age. The proposed garage is to be constructed within a potentially Medieval burgrave plot which often contain sub-surface archaeology including former extensions, rubbish pits, former plot boundary ditches, garden features and artefacts from other periods. Therefore, a condition of a Watching brief should be placed on all groundworks and landscaping due to the potential for sub-surface archaeology related to its proximity to the site of the Medieval church located to the east.

We are unaware of any Conservation Area Application or Heritage Impact Assessment but note that the Built Heritage Conservation Officer has no objection to the reduction and removal of part of the boundary wall which is mentioned in the planning statement.

A written scheme of investigation (WSI) was produced by Aeon Archaeology in August 2023 and outlined the aims and objectives of the photographic survey as well as the methods by which they would be met in order to meet the spirit and intent of condition 11 of permission FUL/000003/23.

This design and all subsequent mitigation will conform to the guidelines specified in Historic England’s ‘*Understanding Historic Buildings: a guide to good recording practice*’ (2016) & *Standard and Guidance for the Archaeological Investigation and Recording of Standing Buildings or Structures* (Chartered Institute for Archaeologists, 2020).



Contains Ordnance Survey data © Crown copyright and database right 2023



Figure 01: Location of Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157).
Scale 1:20,000 at A4.

Aeon Archaeology
Richard Cooke BA MA MCIFA
Obsidian Offices, Chantry Court, Chester CH1 4QN
Tel: 07866925393
www.aeonarchaeology.co.uk



Contains Ordnance Survey data © Crown copyright and database right 2023



Figure 02: Location of Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157).
Scale 1:5,000 at A4.

Aeon Archaeology
Richard Cooke BA MA MCifA
Obsidian Offices, Chantry Court, Chester CH1 4QN
Tel: 07866925393
www.aeonarchaeology.co.uk



Contains Ordnance Survey data © Crown copyright and database right 2021. Licence no. 100019980



Figure 03: Location of boundary wall at Fron Deg, Clayton Road, Mold, CH7 1SU (SJ 23560 64157). Scale 1:500 at A4.

Aeon Archaeology
 Richard Cooke BA MA MCifA
 Obsidian Offices, Chantry Court,
 Chester CH1 4QN
 Tel: 07866925393 / 01244 531585
 www.aeonarchaeology.co.uk

3.0 POLICY CONTEXT

At an international level there are two principal agreements concerning the protection of the cultural heritage and archaeological resource – the UNESCO Convention Concerning the Protection of World Cultural and Natural Heritage and the European Convention on the Protection of the Archaeological Heritage, commonly known as the Valetta Convention. The latter was agreed by the Member States of the Council of Europe in 1992, and became law in 1992. It has been ratified by the UK, and responsibility for its implementation rests with Department for Culture Media and Sport.

The management and protection of the historic environment in Wales is set out within the following legislation:

- The Planning (Listed Buildings and Conservation Areas) Act 1990 (As amended)
- The Historic Environment (Wales) Act 2016
- The Town and County Planning Act 1990
- The Ancient Monuments and Archaeological Areas Act 1979
- The Town and Country Planning (General Permitted Development Order) 1995 (As amended)

The Historic Environment (Wales) Act is the most recent legislation for the management of the Historic Environment and amends two pieces of UK legislation — the Ancient Monuments and Archaeological Areas Act 1979 and the Planning (Listed Buildings and Conservation Areas) Act 1990. The new Act has three main aims:

- to give more effective protection to listed buildings and scheduled monuments;
- to improve the sustainable management of the historic environment; and
- to introduce greater transparency and accountability into decisions taken on the historic environment.

With respect to the cultural heritage of the built environment the Planning (Conservation Areas and Listed Buildings) Act 1990 applies. The Act sets out the legislative framework within which works and development affecting listed buildings and conservation areas must be considered. This states that: -

“In considering whether to grant planning permission for development which affects a listed building or its setting, the local planning authority or, as the case may be, the Secretary of State shall have special regard to the desirability of preserving the building or its setting or any features of special architectural or historic interest which it possesses” (s66(1))

Other known sites of cultural heritage/archaeological significance can be entered onto county-based Historic Environment Records under the Town and Country Planning 1995.

Planning Policy Wales sets out the land use planning policies of the Welsh Government. Chapter 6 covers the historic environment and emphasises that the positive management of change in the historic environment is based on a full understanding of the nature and significance of historic assets and the recognition of the benefits that they can deliver in a vibrant culture and economy.

Various principles and policies related to cultural heritage and archaeology are set out in the Planning Policy Wales which guide local planning authorities with respect to the wider historic environment.

The following paragraphs from Planning Policy Wales are particularly relevant and are quoted in full:

Paragraph 6.1.5 concerns planning applications:

The planning system must take into account the Welsh Government's objectives to protect, conserve, promote and enhance the historic environment as a resource for the general well-being of present and future generations. The historic environment is a finite, non-renewable and shared resource, and a vital and integral part of the historical and cultural identity of Wales. It contributes to economic vitality and culture, civic pride, local distinctiveness and the quality of Welsh life. The historic environment can only be maintained as a resource for future generations if the individual historic assets are protected and conserved. Cadw's published Conservation Principles highlights the need to base decisions on an understanding of the impact a proposal may have on the significance of an historic asset.

Planning Policy Wales is supplemented by a series of Technical Advice Notes (TAN). Technical Advice Note 24: The Historic Environment contains detailed guidance on how the planning system considers the historic environment during development plan, preparation and decision making on planning and listed building consent applications. TAN 24 replaces the following Welsh Office Circulars:

- 60/96 Planning and the Historic Environment: Archaeology
- 61/96 Planning and the Historic Environment: Historic Buildings and Conservation Areas
- 1/98 Planning and the Historic Environment: Directions by the Secretary of State for Wales

4.0 REQUIREMENTS

4.1 Building Record

The requirement was for a Photographic Building Survey of the boundary wall in advance of alteration. However, should observations or desk-based research suggest the potential for significant features to be encountered during the alteration works, the archaeological contractor should make arrangements to undertake any appropriate supplementary recording work during the development. The DMA at CPAT, as advisors to the Council, has requested that the building record be roughly commensurate with the Historic England's '*Understanding Historic Buildings: a guide to good recording practice*' (2016) **Photographic Record**.

A photographic survey provides a very full visual record, but without a written or drawn survey. A photographic survey may be called for when recording a building which has complex and important decoration or historic furnishing but for which there is no need for detailed analysis.

It may also be appropriate in recording a building of well-known type which is under threat but where existing documentation is in other respects adequate or when for some other reason drawings and historical analysis are not required.

The photographic survey will consist of Historic England's '*Understanding Historic Buildings: a guide to good recording practice*' (2016) elements:

- written account: HE Guidance 2016 4.4.8 Items 1-9
- photographs: HE Guidance 2016 4.5.2 Items 1-5 (6 optional) and 7
- drawn record: HE Guidance 2016 4.3.3 Items 7 and 8

5.0 METHOD STATEMENT

5.1 Photographic Record

5.1.1 Written Account

The written account will include:

- a. The precise location of the building as an address and in the form of a National Grid reference.
- b. A note of any statutory designation (that is, listing, scheduling, Register of Historic Parks and Gardens, conservation area), where applicable. Information on statutory designations can be found on the CADW website. Non-statutory designations (local lists) may be added.
- c. The date when the record was made, the name(s) of the recorder(s) and the location of any archive material.
- d. A summary statement. This account should describe the buildings type and purpose, historically and at present, its materials, and possible date(s), so far as these are apparent from a superficial inspection.

5.1.2 Photographs

The photographic record will include:

- a. All photographs will be given a unique number to be used for identification. This unique number should be used in the labelling of digital images.
- b. A general view or views of the building (in its wider setting or landscape).
- c. The building's external appearance. Typically, a series of oblique views will show all external elevations of the building, and give an overall impression of its size, shape and immediate setting. Where individual elevations include complex historical information, it may also be appropriate to take views at right-angles to the plane of the elevation.
- d. The overall appearance of the principal rooms and circulation areas.
- e. Any external or internal detail, structural or decorative, which is relevant to the buildings design, development, and use, with scale where appropriate.
- f. A photographic register detailing the photo number, the location and direction of each view, and the composition of the shot.
- g. Photograph locations and directions of view should be marked on plans of each building separate photographed
- h. Photographs should be of archive quality using a digital SLR (minimum 12 megapixel)
- i. Photographs, where appropriate (i.e., not general shots) should include a clearly visible, graduated metric scale.
- j. Photographs should be adequately lit and not blurry. Please check all photos before leaving the survey area and before submitting the final report and retake any blurred or poorly lit photos.

A Digital SLR (Canon 600D) set to maximum resolution with appropriate photographic scale will be used throughout.

5.1.3 Drawn Record

The drawn record will include:

- a. A plan showing the location and direction of view of each photograph. A separate plan should be provided of all floors affected by the proposed development.
- b. Standard drawing conventions must be used, as depicted in Historic England (2016) Understanding Historic Buildings. A guide to good recording practice pp.35-40

5.2 Processing data, illustration, report, and archiving

Following completion of the record as outlined above, a report will be produced incorporating the following:

- A copy of the design brief and agreed specification
- A site location plan
- A plan illustrating the location and direction of photographs
- Basic background and relevant historical, descriptive or analytical detail
- A full bibliography of sources consulted
- Illustrations, including plans and photographs, will be incorporated within the report.

6.0 DISSEMINATION AND ARCHIVING

A full archive including plans, photographs, written material and any other material resulting from the project will be prepared. All plans, photographs and descriptions will be labelled, and cross-referenced, and lodged with the RCAHMW within six months of the completion of the project.

Upon completion of the project copies of the report will be sent to the Client, regional HER via the HEDDOS portal, and the DMA at CPAT.

The project report and archive will adhere to the Welsh Trusts' and Cadw's *Guidance for the Submission of Data to the Welsh Historic Environment Records (HERs)* (2018 updated 2022) including the translation of a non-technical summary into the medium of Welsh.

7.0 DIGITAL DATA MANAGEMENT PLAN

7.1 Type of study

A photographic building survey of a boundary wall located at Fron Deg, Clayton Road, Mold, CH7 1SU (centred on NGR SJ 23560 64157).

7.2 Types of data

File name	File Contents	Linked File(s)
A0440.1 Fron Deg, Mold HBR 1.0.PDF	PDF report	
A0440_1_001 - A0440_1_036.JPG	JPEG site images	A0440.1_Metadata
A0440_1_001 - A0440_1_036.TIF	TIF site images	A0440.1_Metadata
A0440.1_Metadata.XLSX	Excel file of photographic metadata	A0440_1_001 - A0440_1_036

All data generated during this project has been selected for archive

7.3 Format and scale of the data

Photographs taken in *RAW* format and later converted to *TIF* format for long term archiving and *JPEG* format for use in the digital report, converted using *Adobe Photoshop*. All photographs renamed using *AF5* freeware with the prefix (*project code_frame number*) and a photographic metadata created using Microsoft Excel (*.xlsx*) or Access (*.accdb*).

7.4 Methodologies for data collection / generation

Digital data was collected / generated in line with recommendations made in the Chartered Institute for Archaeologists (CIfA) *Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives* (2020). Sections 3.3.1 and 3.3.3 are relevant:

3.3.1 Project specifications, research designs or similar documents should include a project specific Selection Strategy and a Data Management Plan.

3.3.3 Project designs or schedules of works etc should outline the methodology used in recording all information, in order to demonstrate that all aspects of archive creation will ensure consistency; for instance, in terminologies and the application of codes in digital data sets, highlighting relevant data standards where appropriate

7.5 Data quality and standards

Consistency and quality of data collection / generation was controlled and documented through the use of standardised procedure as outlined in the WSI. This included the use of standardised data capture file formats, digital proformas, data entry validation, peer review, and use of controlled vocabularies.

7.6 Managing, storing and curating data.

All digital data was organised into Aeon Archaeology proforma project file systems and backed up to The Cloud using *Acronis Cyber Protect* with additional copies made to external physical hard drive.

7.7 Metadata standards and data documentation

Digital metadata was created using Microsoft Excel (.xlsx) of all photographic plates.

7.8 Data preservation strategy and standards

Long term data storage will be through the submission of digital (.PDF) reports to the regional Historic Environment Record (HER) (via HEDDOS) and retention of copies of all digital files at Aeon Archaeology on physical external hard drive and uploaded to The Cloud.

7.9 Suitability for sharing

All digital data will be placed within the public realm (through the channels in 7.8) except for where project confidentiality restricts the sharing of data. All data sets will be selected / discriminated by the Senior Archaeologist at Aeon Archaeology and written permission will be sought from all project specific Clients prior to the sharing of data.

7.10 Discovery by potential users of the research data

Potential users of the generated digital data (outside of the organisation) will be able to source the data and identify whether it could be suitable for their research purposes through access granted via the RCAHMW website. Requests can also be made for data through the regional HER's and directly to Aeon Archaeology (info@aeonarchaeology.co.uk).

7.11 Governance of access

The decision to supply research data to potential new users will be via the associated website request (RCAHMW) or via the Senior Archaeologist when made directly to Aeon Archaeology.

7.12 The study team's exclusive use of the data

Aeon Archaeology's requirement is for timely data sharing, with the understanding that a limited, defined period of exclusive use of data for primary research is reasonable according to the nature and value of the data, and that this restriction on sharing should be based on simple, clear principles. This time period is expected to be six months from completion of the project however Aeon Archaeology reserves the right to extend this period without notice if primary data research dictates.

7.13 Restrictions or delays to sharing, with planned actions to limit such restrictions

Restriction to data sharing may be due to participant confidentiality or consent agreements. Strategies to limit restrictions will include data being anonymised or aggregated; gaining participant consent for data sharing; and gaining copyright permissions. For prospective studies, consent procedures will include provision for data sharing to maximise the value of the data for wider research use, while providing adequate safeguards for participants.

7.14 Regulation of responsibilities of users

External users of the data will be bound by data sharing agreements provided by the relevant organisation or directly through Aeon Archaeology.

7.15 Responsibilities

Responsibility for study-wide data management, metadata creation, data security and quality assurance of data will be through the Senior Archaeologist (Richard Cooke BA MA MCifA) at Aeon Archaeology when concerning data generation and early/mid-term storage. Upon deposition with digital depositories the study-wide data management, metadata creation, data security and quality assurance of data will be the responsibility of the specific organisations' themselves.

7.16 Organisational policies on data sharing and data security

The following Aeon Archaeology policies are relevant:

- Aeon Archaeology Archive Deposition Policy 2022
- Aeon Archaeology Quality Assurance Policy 2022
- Aeon Archaeology Conflict of Interest Policy 2022
- Aeon Archaeology Outreach Policy 2022
- Aeon Archaeology Digital Management Plan 2022


8.0 PHOTOGRAPHIC RECORD

(Figures 1-5; Plates 1-16)

The boundary wall to Fron Deg fronts onto Clayton Road, Mold and runs roughly southwest to northeast. The first phase of the boundary wall appears to be that closest to Fron Deg in the southwest, and is constructed from large dressed sandstone blocks bonded by lime mortar to a height of 1m and capped with light grey stone. As the boundary wall rounds north-eastward away from the property its use of building materials change to mid grey large dressed stone blocks bonded by Portland cement. These appear to straddle the lighter sandstone to the southwest suggesting that it is structurally later in date. Above this section of wall it was heightened by a third phase of construction to 2.2m height using large dressed stone blocks and rubble in light sandstone and bonded by Portland cement.

Within the enclosed garden itself the land is much higher and internally the wall stands to 1m in height. At the northwest end of the garden the wall changes to using white-washed, hand-made unfrogged red brick bonded by lime mortar in a common bond.

The photographic record was undertaken by Richard Cooke BA MA MCIFA archaeologist at Aeon Archaeology on the 4th September 2023. Upon approval from the Client and the CPAT DMA the report will be archived with the CPAT Historic Environment Record (HER); the Royal Commission on the Ancient and Historic Monuments of Wales (RCAHMW); and a copy retained at Aeon Archaeology, Chester under project code **A0440.1**, *Report no# 0434*.




Contains Ordnance Survey data © Crown copyright and database right 2021. Licence no. 100019980



Figure 04: Structural phasing of boundary wall. Scale 1:500 at A4.

Aeon Archaeology
 Richard Cooke BA MA MCifA
 Obsidian Offices, Chantry Court,
 Chester CH1 4QN
 Tel: 07866925393 / 01244 531585
www.aeonarchaeology.co.uk



Contains Ordnance Survey data © Crown copyright and database right 2021. Licence no. 100019980

Figure 05: Location and orientation of photographic plates.



Aeon Archaeology
 Richard Cooke BA MA MCifA
 Obsidian Offices, Chantry Court,
 Chester CH1 4QN
 Tel: 07866925393 / 01244 531585
 www.aeonarchaeology.co.uk



Plate 01: Fron Deg boundary wall, from the southwest. Scale 1.0m.



Plate 02: Fron Deg boundary wall, from the southeast. Scale 1.0m.



Plate 03: Fron Deg boundary wall, from the southwest. Scale 1.0m.



Plate 04: Fron Deg boundary wall, from the east. Scale 1.0m.



Plate 05: Fron Deg boundary wall showing structural phases, from the southeast. Scale 1.0m.




Plate 06: Fron Deg boundary wall showing structural phases, from the southeast. Scale 1.0m (annotated).



Plate 07: Fron Deg boundary wall, from the southwest. Scale 1.0m.



Plate 08: Fron Deg boundary wall, from the east. Scale 1.0m.



Plate 09: Fron Deg boundary wall, from the east. Scale 1.0m.



Plate 10: Fron Deg boundary wall showing blocked entrance, from the south. Scale 1.0m.



Plate 11: Fron Deg boundary wall from inside enclosed garden, from the southwest. Scale 1.0m.



Plate 12: Fron Deg boundary wall from inside enclosed garden, from the northwest. Scale 1.0m.



Plate 13: Fron Deg boundary wall from inside enclosed garden, from the north-northwest. Scale 1.0m.



Plate 14: Fron Deg boundary wall from inside enclosed garden, from the east. Scale 1.0m.



Plate 15: Fron Deg boundary wall from inside enclosed garden, from the southeast. Scale 1.0m.



Plate 16: View across enclosed garden to Fron Deg, from the southeast. Scale 1.0m.

9.0 SOURCES

Maps.

Ordnance Survey Open Data maps SJ NE26, NW26, SE26, SW26.

Secondary Sources

Chartered Institute for Archaeologists, (2020). Standard and Guidance for the Archaeological Investigation and Recording of Standing Buildings or Structures.

Historic England, (2016). Understanding Historic Buildings: a guide to good recording practice.

